

Resources for Golfers and Hikers

CDC Guide for Golfers 2
CDC Guide for Hikers..... 3

CDC Guide for Golfers

English: http://www.cdc.gov/lyme/resources/toolkit/factsheets/Golfing_English.pdf

Spanish: http://www.cdc.gov/lyme/resources/toolkit/factsheets/Golfing_Spanish.pdf

Ticks and Lyme Disease



For more information about Lyme disease, visit <http://www.cdc.gov/lyme>

How to prevent tick bites when golfing

Ticks can spread disease, including Lyme disease. Protect yourself:

- Use insect repellent that contains 20 - 30% DEET.
- Wear clothing that has been treated with permethrin.
- Take a shower as soon as you can after coming indoors.
- Look for ticks on your body. Ticks can hide under the armpits, behind the knees, in the hair, and in the groin.
- Put your clothes in the dryer on high heat for 60 minutes to kill any remaining ticks.

How to remove a tick

1. If a tick is attached to you, use fine-tipped tweezers to grasp the tick at the surface of your skin.
2. Pull the tick straight up and out. Don't twist or jerk the tick—this can cause the mouth parts to break off and stay in the skin. If this happens, remove the mouth parts with tweezers if you can. If not, leave them alone and let your skin heal.
3. Clean the bite and your hands with rubbing alcohol, an iodine scrub, or soap and water.
4. You may get a small bump or redness that goes away in 1-2 days, like a mosquito bite. This is not a sign that you have Lyme disease.

Note: Do not put hot matches, nail polish, or petroleum jelly on the tick to try to make it pull away from your skin.



If you remove a tick quickly (within 24 hours) you can greatly reduce your chances of getting Lyme disease.

National Center for Emerging and Zoonotic Infectious Diseases
Division of Vector Borne Diseases | Bacterial Diseases Branch



CDC Guide for Hikers



English:

http://www.cdc.gov/lyme/resources/toolkit/factsheets/10_508_Lyme%20disease_HikersCampers_FACT_Sheet.pdf

Spanish:

http://www.cdc.gov/lyme/resources/toolkit/factsheets/11_222447A_Lymedisease_HikerCamper_FACT_Sht_Spanish.pdf

Ticks and Lyme Disease



How to prevent tick bites when hiking and camping


Ticks can spread disease, including Lyme disease. Protect yourself:

- Use insect repellent that contains 20 - 30% DEET.
- Wear clothing that has been treated with permethrin.
- Take a shower as soon as you can after coming indoors.
- Look for ticks on your body. Ticks can hide under the armpits, behind the knees, in the hair, and in the groin.
- Put your clothes in the dryer on high heat for 60 minutes to kill any remaining ticks.

How to remove a tick


1. If a tick is attached to you, use fine-tipped tweezers to grasp the tick at the surface of your skin.
2. Pull the tick straight up and out. Don't twist or jerk the tick—this can cause the mouth parts to break off and stay in the skin. If this happens, remove the mouth parts with tweezers if you can. If not, leave them alone and let your skin heal.
3. Clean the bite and your hands with rubbing alcohol, an iodine scrub, or soap and water.
4. You may get a small bump or redness that goes away in 1-2 days, like a mosquito bite. This is not a sign that you have Lyme disease.

Note: Do not put hot matches, nail polish, or petroleum jelly on the tick to try to make it pull away from your skin.



If you remove a tick quickly (within 24 hours) you can greatly reduce your chances of getting Lyme disease.

National Center for Emerging and Zoonotic Infectious Diseases
Division of Vector Borne Diseases | Bacterial Diseases Branch



CS204220